

2-Car Garage Door Replacement Price in Los Angeles

The typical **2 car garage door replacement cost** in Los Angeles is approximately **\$1,200 to \$5,500** for the door and qualified installation. A simple, non-insulated steel door may land around the lower end, while a custom wood door, top-tier insulated door, upgraded hardware, or architectural design can drive the total above this range.

The **two car garage door replacement cost** depends on the door [Commercial Garage Door Repair & Installation in Los Angeles](#) size, material, insulation, windows, design, hardware, opener compatibility, and site conditions. Most two-car garages use a double garage door approximately 16 feet wide, although some openings are 18 feet wide or use two separate single doors. Confirming the exact **door size** is essential before comparing prices.

For many homeowners, a practical Los Angeles budget may look like this:

- **Basic steel overhead garage door:** about \$1,200 to \$2,500 installed
- **Insulated steel garage door:** about \$1,800 to \$3,500 installed
- **Aluminum or contemporary glass-style door:** about \$2,500 to \$5,500 installed
- **Custom wood garage door:** about \$3,000 to \$8,000 or more installed
- **New garage door opener:** commonly \$400 to \$1,200 installed, depending on the system

These are [Commercial Garage Door Repair](#) estimated ranges rather than final quotes. The final **cost of replacing the garage door** can rise if the existing frame needs attention, the door tracks are in need of repair, electrical work is required, or disposal and permit-related services are covered. Prices may also change across Los Angeles County. Central Los Angeles, the San Fernando Valley, and the South Bay can have different labor availability, travel needs, parking constraints, and access issues.

What Is Included in the Replacement Cost?

A skilled replacement normally includes the new **garage door system**, basic hinges, rollers, cables, drums, tracks, brackets, and installation labor. Some companies often include removal and disposal of the old door, a safety inspection, lubrication, and basic adjustment. These details should be stated in the proposal rather than being assumed.

Installing a garage door involves more than placing a door in the opening. The installer must carefully measure the opening, check the header and side clearance, assemble the sections, position the door tracks, attach the springs and cables, and test the balance and automatic reverse system. Improper installation can cause premature wear or create a serious safety risk.



The price may or may not include a new **door-opening system**. If the existing opener is compatible, it may be reused after inspection. However, an older opener may lack modern safety features, battery backup, rolling-code security, or Wi-Fi capability. Ask whether the quote includes removal of the old opener, new mounting hardware, programming, and accessories.

The **installation cost** commonly reflects a scheduled installation team and may be listed separately from materials. Installation labor is affected by the door's weight, custom construction, difficult access, high ceilings, framing repairs, and whether the project involves one large door or two separate doors. A written breakdown of labor and materials makes competing estimates easier to compare.

Garage Door Replacement Cost by Material and Style

A **steel garage door** is often the most budget-friendly and adaptable choice for a two-car garage. Steel is available in contemporary, carriage-house, contemporary, and flush designs. Single-layer steel doors cost less, while multiple-layer doors with insulation provide improved durability, sound control, and temperature performance.

An **insulated garage door** is usually more expensive than a non-insulated model, but it may be worthwhile when the garage shares walls with living areas or is used as a workshop. Insulation can minimize heat transfer and outside noise. Look at the door's construction and stated insulation rating rather than choosing based only on the word "insulated."

An **aluminum garage door** is lightweight and can work well with modern Los Angeles homes. Aluminum and glass designs often provide sleek lines and natural light, but the total price varies considerably according to glass type, frame design, finish, and customization. Lightweight construction can reduce strain on some hardware, although the opener and springs still must be correctly matched.

A **wood garage door** offers a distinctive appearance and can complement Craftsman, Spanish Colonial, bungalow, and custom homes throughout Los Angeles. Wood generally requires more maintenance than steel or aluminum. Exposure to sun, moisture, and temperature changes can cause fading, swelling, cracking, or finish deterioration. The quote should identify the wood species, finish, construction, and maintenance expectations.

Style also affects price. Windows, decorative hardware, custom paint, premium finishes, vertical windows, and carriage-house details can increase the cost. If the existing opening is not a standard size, custom construction may be needed.

Garage Door Repair Cost vs. Full Replacement

The average **garage door repair cost** in Los Angeles may vary from approximately \$100 for a minor adjustment to more than \$1,000 for substantial hardware, track, or structural work. A service call, replacement parts, emergency scheduling, and installation complexity all impact the total. **Garage door repair charges** should be based on the specific failed component rather than a generic flat rate.

Repair is often reasonable when the door is relatively new, the sections are in good condition, and the problem is limited to a broken spring, worn rollers, damaged cables, loose hinges, or a faulty sensor. Replacement may provide better value when the door has widespread rust, repeated failures, severe impact damage, poor insulation, obsolete hardware, or a repair cost that approaches the price of a new system.

A technician should examine the complete system before recommending **replacement of the garage door**. Replacing one part without identifying an underlying alignment or balance problem may lead to another failure.

When a Damaged Garage Door Panel Can Be Replaced

A single **garage door panel** can often be replaced when the door is a modern **sectional garage door** and the manufacturer still produces a matching section. Panel replacement is most practical when damage is limited to one or two sections and the remaining panels, hinges, rollers, tracks, and springs are in good condition.

Panel replacement may cost roughly \$300 to \$1,200 or more, depending on the material, design, windows, color, availability, and installation labor. Matching an older door can be difficult. Even if the replacement panel is technically compatible, color fading may make it visibly different from the rest of the door.

A technician should check for bent **door tracks**, distorted hinges, damaged rollers, and hidden frame movement after an impact. If the panels are discontinued or the door has extensive damage, a complete replacement may be more cost-effective than ordering custom replacement panels.

Garage Door Spring Repair and Replacement Costs

The **garage door spring cost** for a typical repair commonly comes to approximately \$150 to \$450, although oversized doors, two-spring systems, difficult access, and specialized components may increase the price. A **torsion-style spring** is mounted above the door and is frequently used on residential sectional doors. An **extension-style spring** stretches along the horizontal tracks and may be found on older systems.

A broken spring can leave the door difficult to lift or prevent it from opening safely. Do not attempt to remove or adjust a spring without the right training. Spring components store substantial energy and can cause severe injury.

When searching for **garage door spring replacement services nearby**, ask whether the quoted price includes both springs when the door uses a matched pair, new lift cables if needed, balance testing, and disposal of the

failed parts. A reputable company should perform a safety inspection after **torsion spring installation**, not simply install the spring and leave.

Garage Door Opener Installation Cost for a Two-Vehicle Door

The **garage door opener installation cost** for a two-car garage commonly ranges from \$400 to \$1,200, including the opener and installation. The necessary horsepower, rail length, ceiling height, door weight, wiring, battery backup, and accessories affect the quote.

A **belt-drive opener** typically operates more quietly than a chain system and can be a good choice when bedrooms or living areas are adjacent to the garage. A **chain-drive opener** is often long-lasting and cost-effective, although it may create more operating noise and vibration.

A **smart garage door opener** can provide app control, alerts, remote access, and integration with selected home systems. Confirm whether Wi-Fi is integrated or requires an additional hub. Battery backup may be especially useful during outages because it allows the door to be operated when household power is unavailable.

EM Garage Doors And Gate Service Inc

19629 Cantara St, Reseda, CA 91335

(818) 919-0785

<https://emgaragedoorsandgateservice.com/>

<https://maps.app.goo.gl/XujLWxA4pAQKARQT8>

34.2193569, -118.5613022

The opener must be suited to the door's weight and balance. A powerful opener cannot compensate for a poorly balanced door, damaged tracks, or a broken spring. Those problems should be repaired first.

Factors That Affect Garage Door Repair Pricing in Los Angeles

Multiple factors influence **garage door repair pricing** in Los Angeles:

- **Garage door size:** A unusually broad or extra-heavy door requires stronger springs, extra work, and sometimes specialized tools.
- **The repair required:** Roller replacement and sensor adjustment usually cost less than damaged tracks, structural repairs, or multiple replacement panels.
- **Availability of parts:** Discontinued doors may need custom parts or a complete replacement.
- **Site access:** Narrow driveways, steep approaches, storage in front of the door, and limited parking can lengthen the work.
- **The timing:** Emergency service outside normal business hours generally exceeds the cost of a scheduled appointment.
- **Hourly labor rates:** Labor rates can vary based on company, technician experience, insurance, overhead, and local demand.

Coastal areas such as Santa Monica, Venice, and Long Beach may experience exposure to salty air. Corrosion-resistant hardware, galvanized or stainless components where appropriate, protective finishes, and regular maintenance can be particularly relevant in these locations. Residents in inland neighborhoods may have distinct issues, including intense sun exposure and heat-related finish deterioration.

Find out whether the service call is credited toward completed work, whether diagnostic fees are separate, and whether the estimate covers cleanup. These questions may prevent an unexpectedly high invoice.

Los Angeles Garage Door Permits, Codes, and Local Considerations

Residents should check permit requirements with the **Los Angeles Department of Building and Safety** before replacing a garage door or changing related structural components. Requirements can depend on the property location, scope of work, framing changes, electrical work, historic status, and whether the project affects other building elements.

The applicable **California building code** and local rules may include provisions for structural attachment, safety releases, automatic reversal, emergency operation, glazing, and other requirements. Certain properties may also need to meet applicable **wind-load requirements**. A replacement door should be chosen to suit the building and opening, not simply determined by appearance or price.

Local conditions can differ throughout Los Angeles County. A property in the San Fernando Valley, central Los Angeles, or the South Bay may be subject to different access conditions, neighborhood rules, or inspection considerations. A **licensed contractor** familiar with the local jurisdiction can outline which approvals apply and whether the proposed door meets current safety standards.

How to Get an Reliable Garage door repair Replacement Estimate

Begin with an in-person **garage door inspection**. The technician should measure the opening, inspect the header and side jambs, assess the door tracks, inspect springs and cables, check the opener, and look for water intrusion, corrosion, or structural movement. Photos alone may not show these issues.

Obtain a detailed **itemized estimate** that lists:

- Door manufacturer, model, material, color, and insulation
- Exact dimensions and window or decorative options
- Hardware, springs, tracks, rollers, cables, and seals
- Removal and haul-away of the existing system
- Labor for installation and any framing or electrical work
- Garage door opener equipment and programming
- Help with permits or permit charges, if applicable
- Taxes, service charges, warranty coverage, and payment terms

Ask about both the installer's workmanship warranty and the manufacturer warranty. A **warranty from the manufacturer** may cover selected parts for a stated period but exclude labor, finish damage, misuse, or corrosion. Verify who handles warranty service and whether regular maintenance is required.

Review at least two or three estimates with the same specifications. The cheapest proposal may omit disposal, upgraded hardware, safety testing, or necessary frame repairs. A clear estimate from a qualified professional is more useful than a low starting price that changes after work begins.

Garage Door Repair Near Me: Finding a Los Angeles Company

When looking for **garage door repair near me**, choose a local garage door company that clearly identifies its business name, service area, insurance, licensing information, and office contact details. Make sure that the company serves your part of Los Angeles County, including central Los Angeles, the San Fernando Valley, or the South Bay as applicable.

Read recent **client reviews**, but look for meaningful details about punctuality, communication, pricing, workmanship, and follow-up service. Reviews should reinforce—not replace—questions about credentials and the proposed repair.

Before agreeing to the job, ask whether the technician is hired directly by the company or subcontracted, whether parts are new, and whether the invoice will correspond to the written estimate. Be cautious of high-pressure recommendations, unexplained “today only” discounts, and requests to replace a complete door without an inspection.

A dependable company should describe repair and replacement options, identify safety concerns, and provide a practical maintenance plan. Routine lubrication, weatherstripping checks, visual inspection of cables and rollers, and professional spring testing can lengthen system life.

Common Questions

How much does a 2 car garage door replacement cost in Los Angeles?

A typical 2 car garage door replacement cost in Los Angeles is about \$1,200 to \$5,500 installed. Basic steel doors generally cost less, while insulated, aluminum, glass, custom, and wood designs cost more. A new opener, structural repairs, difficult access, disposal, and permit-related work may be additional.

How much does garage door repair cost for a broken spring or damaged panel?

The garage door repair cost for a broken spring is often approximately \$150 to \$450, while a damaged garage door panel may cost about \$300 to \$1,200 or more. The final garage door repair pricing depends on the spring type, door size, panel availability, damage extent, labor, and whether additional parts are needed.

Is it cheaper to replace a garage door panel or the entire overhead garage door?

Replacing one panel is usually cheaper when the sectional garage door is otherwise in good condition and a matching replacement is available. Full garage door replacement may be better when multiple panels are damaged, the door is obsolete, the tracks or frame are compromised, or repair costs approach the garage door replacement cost.

How much does garage door opener installation cost for a two-car garage?

Garage door opener installation cost for a two-car garage commonly ranges from \$400 to \$1,200, including the opener and standard installation. Belt-drive, chain-drive, and smart opener models have varying costs. Battery backup, unusual ceiling height, wiring, rail extensions, and door-balance problems can increase the total.

How do I find dependable garage door repair in my area in Los Angeles?

For trustworthy garage door repair in my area, evaluate local companies by credentials, insurance, customer reviews, service area, written estimates, warranty terms, and inspection practices. Obtain an itemized quote before approving work, and select a licensed contractor familiar with Los Angeles requirements and local conditions.